

UNCONTROLLED

RELEASER M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 1 of 9

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

RELEASER M 10KG

SYNONYMS

release agent Cobblestone Paving
RA- 200 RA- 248

PRODUCT USE


Stops moulds used for decorative imprinting from sticking to the concrete surface. Release agent also acts as a curing compound and colouring agent to give a desired two-tone effect.

SUPPLIER

Company: Cobblestone Paving Australia P/L
Address:
PO Box 2057
Burleigh Mdc, Gold Coast
QLD, 4220
AUS

Company: Cobblestone Paving Australia P/L
Address:
45 Alex Fisher Drive
Burleigh Gardens
QLD, 4220
AUS
Telephone: +61 7 5593 7766
Fax: 07 5593 7777

HAZARD RATINGS



Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

According to the Criteria of NOHSC, and the ADG Code.

POISONS SCHEDULE

None

continued...

RELEASES M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 2 of 9

Section 2 - HAZARDS IDENTIFICATION ...

RISK

Cumulative effects may result following exposure*.
* (limited evidence)

SAFETY

Do not breathe dust.
Avoid contact with skin.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
filler		30-60
pigment		30-60
waterproofing agent		10-30
adsorbent		1-10

NOTE: Manufacturer has supplied full ingredient information to allow CHEMWATCH assessment.

Section 4 - FIRST AID MEASURES

SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

EYE

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- If pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

Brush off dust.

If skin or hair contact occurs:

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If dust is inhaled, remove from contaminated area.
- Encourage patient to blow nose to ensure clear passage of breathing.
- If irritation or discomfort persists seek medical attention.
- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

continued...

RELEASES M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 3 of 9

Section 4 - FIRST AID MEASURES ...

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

FIRE/EXPLOSION HAZARD

- Non combustible.
- Not considered a significant fire risk, however containers may burn.

FIRE INCOMPATIBILITY

Avoid reaction with oxidising agents

HAZCHEM

None

Personal Protective Equipment

Glasses:
Chemical goggles.

Gloves:
When handling larger quantities:
PVC chemical resistant type.

Respirator:
Particulate

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Wear protective clothing, gloves, safety glasses and dust respirator.
- Use dry clean up procedures and avoid generating dust.
- Sweep up or

continued...

RELEASER M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 4 of 9

Section 6 - ACCIDENTAL RELEASE MEASURES ...

- Vacuum up (consider explosion-proof machines designed to be grounded during storage and use).
- Place in clean drum then flush area with water.

MAJOR SPILLS

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact by using protective equipment and dust respirator.
- Prevent spillage from entering drains, sewers or water courses.
- Avoid generating dust.
- Sweep, shovel up. Recover product wherever possible.
- Put residues in labelled plastic bags or other containers for disposal.
- If contamination of drains or waterways occurs, advise emergency services.

EMERGENCY RESPONSE PLANNING GUIDELINES (ERPG)

The maximum airborne concentration below which it is believed that nearly all individuals could be exposed for up to one hour WITHOUT experiencing or developing

life-threatening health effects is:

irreversible or other serious effects or symptoms which could impair an individual's ability to take protective action is:

other than mild, transient adverse effects without perceiving a clearly defined odour is:

American Industrial Hygiene Association (AIHA)

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Avoid generating and breathing dust.
- Limit all unnecessary personal contact.
 - Wear protective clothing when risk of exposure occurs.
 - Use in a well-ventilated area.
 - Avoid contact with incompatible materials.
 - When handling, DO NOT eat, drink or smoke.
 - Keep containers securely sealed when not in use.
 - Avoid physical damage to containers.
 - Always wash hands with soap and water after handling.
 - Work clothes should be laundered separately.
 - Use good occupational work practice.
 - Observe manufacturer's storing and handling recommendations.
 - Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

SUITABLE CONTAINER

Multi ply paper bag with sealed plastic liner or heavy gauge plastic bag
NOTE: Bags should be stacked, blocked, interlocked, and limited in height so that they are stable and secure against sliding or collapse. Check that all

continued...

RELEASER M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 5 of 9

Section 7 - HANDLING AND STORAGE ...

containers are clearly labelled and free from leaks. Packing as recommended by manufacturer.

STORAGE INCOMPATIBILITY

Avoid storage with oxidisers

STORAGE REQUIREMENTS

- Keep dry.
- Store under cover.
- Protect containers against physical damage.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

None assigned for mixture or identified for ingredient(s).

PERSONAL PROTECTION



EYE

- Safety glasses with side shields; or as required,
- Chemical goggles.
- Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

HANDS/FEET

No special equipment needed when handling small quantities.
Wear chemical protective gloves, eg. PVC.
Wear safety footwear.

OTHER

- Overalls.
- Eyewash unit.

ENGINEERING CONTROLS

Use in a well-ventilated area.
General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant:
solvent, vapours, degreasing etc.,

Air Speed:
0.25-0.5 m/s (50-100 f/min)

continued...

RELEASER M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 6 of 9

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION ...

evaporating from tank (in still air) aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5-10 m/s (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood - local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Odourless, coloured powder; insoluble in water.

PHYSICAL PROPERTIES

Solid.
Does not mix with water.
Sinks in water.

Molecular Weight: Not available
Melting Range (°C): Not available
Solubility in water (g/L): Insoluble

Boiling Range (°C): Not applicable
Specific Gravity (water=1): >1
pH (as supplied): Not applicable

continued...

RELEASES M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 7 of 9

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES ...

pH (1% solution): Not available	Vapour Pressure (kPa): Not applicable
Volatile Component (%vol): Not applicable	Evaporation Rate: Non Volatile
Relative Vapour Density (air=1): Not applicable	Flash Point (°C): Not applicable
Lower Explosive Limit (%): Not applicable	Upper Explosive Limit (%): Not applicable
Autoignition Temp (°C): Not available	Decomposition Temp (°C): Not available
State: Divided solid	

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Considered an unlikely route of entry in commercial/industrial environments.
The material is moderately discomforting to the gastro-intestinal tract

EYE

The dust may be discomforting and abrasive to the eyes

SKIN

The material may be mildly discomforting and abrasive to the skin if exposure is prolonged and may cause drying of the skin, which may lead to dermatitis

INHALED

The dust may be discomforting to the upper respiratory tract and may be harmful if inhaled.

Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

CHRONIC HEALTH EFFECTS

Primary route of exposure is usually by inhalation of generated dust. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following. Long term exposure to high dust concentrations may cause changes in lung function (i.e. pneumoconiosis) caused by particles less than 0.5 micron penetrating and remaining in the lung. A prime symptom is breathlessness. Lung shadows show on X-ray. Chronic excessive iron intakes have been associated with haemosiderosis and consequent possible damage to the liver and pancreas. High levels of iron may raise the risk of cancer. This concern stems from the theory that iron causes oxidative damage to tissues and organs by generating highly reactive chemicals, called free radicals, which subsequently react with DNA. Cells may be disrupted and may become cancerous. People whose genetic disposition prevents them from keeping tight control over iron (e.g. those with the inherited disorder, haemochromatosis) may be at increased risk. Iron overload in men may lead to diabetes, arthritis, liver cancer, heart irregularities and problems with other organs as iron builds up. [K. Schmidt, New Scientist, No. 1919 pp.11-12, 2nd April, 1994]. As with any chemical product, contact with unprotected bare skin; inhalation of

continued...

RELEASER M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 8 of 9

Section 11 - TOXICOLOGICAL INFORMATION ...

vapour, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

Releaser M 10KG

Not available for mixture or identified for ingredient(s).
unless otherwise specified data extracted from RTECS - Register of Toxic Effects
of Chemical Substances

Section 12 - ECOLOGICAL INFORMATION

No data for Releaser M 10KG.

Section 13 - DISPOSAL CONSIDERATIONS

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

Section 14 - TRANSPORTATION INFORMATION

Shipping Name:
NONE
Dangerous Goods Class: None
UN/NA Number: None
ADR Number:
Packing Group: None
Labels Required:
Additional Shipping Information:
International Transport Regulations:
IMO: None

HAZCHEM

None

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE

None

REGULATIONS

Section 16 - OTHER INFORMATION

continued...

RELEASER M 10KG

ChemWatch Material Safety Data Sheet
Issue Date: Thu 2-Aug-2001

CHEMWATCH 4706-73
CD 2004/3 Page 9 of 9

Section 16 - OTHER INFORMATION ...

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: Thu 2-Aug-2001
Print Date: Mon 16-Aug-2004